



1. **SUPPLEMENTARY EC-TYPE EXAMINATION CERTIFICATE**

2. **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres Directive 94/9/EC**

3. **EC-Type Examination Certificate Number:** ITS13ATEX27779/1

4. **Equipment or Protective System:** Zone 1 Wireless Access Point

5. **Manufacturer:** iSiS-Ex Limited


6. **Address:** Unit A & B, Windmill Industrial Estate, Showfield Lane,
Malton
North Yorkshire
YO17 6BT
UNITED KINGDOM

7. This supplementary certificate extends EC-Type Examination Certificate Number to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said Certificate but having variations specified in the Schedule attached to this certificate and the documents therein referred to.

Intertek Report Ref No. G100992401B dated July 2014.

This Supplementary Certificate shall be held with the original Certificate(s).

ITS13ATEX27779 dated 29 May 2014



A T Austin
Certification Officer
24 July 2014

Intertek Testing & Certification Limited
Intertek House, Cleeve Road, Leatherhead, Surrey, KT22 7SB
Tel: +44 (0)1372 370900 Fax: +44 (0)1372 370977

www.intertek.com

Registered No 3272281 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex, CM14 5NQ.

This certificate may only be reproduced in its entirety and without any change, schedule included and is subject to Intertek Testing and Certification's Conditions for Granting Certification.



SCHEDULE

SUPPLEMENTARY EC-TYPE EXAMINATION CERTIFICATE NUMBER ITS13ATEX27779/1

VARIATION ONE

Description of the Variation to the Equipment or Protective System.

To permit the following change(s): -

- Correction of the output entity parameters for the Ethernet barrier from $U_o = 4.515V$, $I_o = 1.231A$, $P_o = 1.390W$, $L_o = 13.4\mu H$, $L_o/R_o = 51 \mu H/\Omega$ to $U_o = 4.935V$, $I_o = 1.176A$, $P_o = 1.451W$, $L_o = 12.8 \mu H$, $L_o/R_o = 31 \mu H/\Omega$.
- Changes to the instruction manual to reflect the above changes.

Report No.:

Intertek Report Ref No. G100992401B dated July 2014.

Conditions of Certification:

- (a). Special Conditions for safe use
- None
- (b). Conditions of Manufacture
- There are no additional conditions, see previous certificates.

Essential Health and Safety Requirements (EHSR's)

See original certificate, the listed change to the Equipment or Protective System has not altered compliance.

Drawings and Documents

See previous certificates.

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Intertek Testing & Certification Limited
Intertek House, Cleeve Road, Leatherhead, Surrey, KT22 7SB
Tel: + 44 (0)1372 370900 Fax: +44 (0)1372 370977

www.intertek.com

Registered No 3272281 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex, CM14 5NQ.

This Certificate is the property of Intertek Testing and Certification Ltd and is subject to Intertek Testing and Certification's Conditions for Granting Certification.